

Refined design and Compact size

# PACP-8000


AUTO CHART PROJECTOR




PACP-8000 provides optometry with the greater convenience using the refined design, a compact size, and diversified charts.

# PACP-8000


AUTO CHART PROJECTOR




— Type A



— Type C



— Type R




— Type D




### Eyesight measurement using diversified charts

Diversified charts (4 types of A/C/D/R) per country are retained including binocular balance, aniseikonia, stereopsis, binocular vision test chart



### Cost saving through adoption of LED light source

Maintenance & repair costs can be saved through adoption of LED light source having a semi-permanent service life



### Bright & clear chart display

Brighter & clear chart display is provided by adoption of white LED



**3.58 kg**

Stand included

**42 Charts**

TYPE A/C/D/R



### Refined design

Optometry room is made to stand out by the refined design embodying an eyeball.



### Compact size

A roomy optometry space is provided using a more compact size

Size: 25% Reduction comparing with PACP-7000

Weight: 25% lighter than PACP-7000



### Convenient focus adjustment

Convenient focus adjustment is enabled by a rotary aperture.



Refined design and Compact size

# PACP-8000

AUTO CHART PROJECTOR

## Specification

<b>Charts</b>	42 Charts	
<b>Distance of projection</b>	2.5 - 8 m (8 m distance projection screen is optional)	
<b>Chart magnification</b>	30x (When projected at 5 m distance)	
<b>Lamp</b>	LED Lamp	
<b>Chart Rotation Speed</b>	Average 0.3sec	
<b>Power Save</b>	11 minutes (after last signal)	
<b>Tilt angle</b>	± 20 degrees	
<b>Resolution</b>	50 lines / mm	
<b>Program</b>	2 programs with a maximum of 40 charts each	
<b>Power Supply</b>	100 - 240V~, 50/60Hz	
<b>Power consumption</b>	25 - 35VA	
<b>Dimension</b>	Body (Stand except)	200(W) × 290(D) × 172(H) mm
	Body (Stand included)	200(W) × 290(D) × 235(H) mm
	Remote Controller	64(W) × 196(D) × 20(H) mm
<b>Weight</b>	Stand included	3.58 kg
	Remote controller	160 g (Battery included)
<b>Standard Accessories</b>	<ul style="list-style-type: none"><li>· Remote Controller</li><li>· Screen, Dust cover</li><li>· Power Cable</li><li>· Stand, T wrench</li><li>· Fuse, Battery</li></ul>	
<b>Optional Accessories</b>	<ul style="list-style-type: none"><li>· Red / Green glasses</li><li>· Polarization glasses</li></ul>	

\*Designs and details can be changed without prior notice its improvements.

**POTEC**

**POTEC Co.,Ltd.**

40-4, Techno 2-ro, Yuseong-gu, Daejeon, 34015 Korea

**Tel** +82.42.632.3536 **Fax** +82.42.632.3537

webmaster@potec.biz **www.potec.biz**

**Distributed by**